


HOLDERS FOR SHAFT -MACHINING HINGE SHAPED-

ヤフトホルダ ーヒンジ型(機械加工品)ー

L型タイプ・ボトムマウントタイプ・側面取付タイプー





■L型ダイノ																			
型式	H 選択					H ₁		s	w	W ₁	L ₁	d	Е	締付ボルト	d ₂	d ₁	l		
Type	D			選択			_				**	** 1		u		M	uz	ui	, L
SHKHB SHKHM SHKHS	8	20					30	H+9	10	6	20	15	20	4.5	10	M4	5	8	4
	10	20																	4
	12	20						H+10											5
	15	2	25					H+12	12		24	18	28		14		7	9.5	6
	16	2	25				40	11112				10	20		14	M5			U
	20	2	25	30				H+15	16	8	29	22.5	30	5.5	14.5				- 8
	25				40		50	H+18	10	0	23	23	36	6.6	18	M6	8	13	0
	30				40		65	H+21	19		37	28	48		24] IVIO	0	13	11
	35				40	50	70	H+24	19	10	31	20	50	9	26	M8	9	14	12
	40				40	50	73	H+27	22		40	31	54		27	IVIO	9	14	12
	50				40	50	100	H+35	25	15	50	38	65	14	38	M10	11	18	14

T/2

■ボトムマウントタイプ・側面取付タイプ L H1 т L₁ Е M₁ d2 d1 l H₂ d H+9 4 ボトムマウントタイプ 30 10 20 10 M4 5 8 SHSHB SHSHM SHSHS 4.5 H+10 5 H+12 12 14 6 40 24 14.5 18 24 16 M6 8 側面取付タイプ M8 **SHYHB SHYHM** 10 9

SHYHS 4		0	40 50				73	H+27	22	50	27	"""						
	5	0				50	100	H+35	25	65 (70)	38	M10	M12	11	18	14	14	14
**** (上の() 寸法は側面取付タイプに適用。																		
Order 注文例	型 SHYHI			H 0			[Deliv 出荷E	ry 🔞	HSHB・ 在庫	品翌日	出荷 № P.13		記以外 日目出初	ij		ご注文締切	
Price	SF - Sh ■数量ス ● SHSH	ライド信	格 (1円)		旨洗浄サ· P.133	ービス ■	⊈ P.130		当	希望によ 日出荷受 記以外	り <mark>PM6:00</mark> 付致しま	<u>で</u> 、 す。					PM 6:00运	№ P.134
価格	数量区分		標準対応 個別対応							数量区分 標準対応 小口				個別対応	i.			
	数 量 値引率 出荷日	1~10 基準単 通常		15~19 10% お見積り	20~30 18%	31~	・ ・ ・ ・ でごれ	数量超えはWOS(確認ください。	数 値引 出在	率 基準		D~14 15~19 5% 10% 通常	20~30 18%	31~ お見積り	⑦表示でご確	女量超えはWi 認ください。	osc	
_										¥基準算								
D L型							1	7	ボトムマウント 側面取付									

	于签学半 III												
D		L型			ボトムマウント		側面取付						
	SHKHB	SHKHM	SHKHS	SHSHB	SHSHM	SHSHS	SHYHB	SHYHM	SHYHS				
8	2,580	2,680	3,950	2,000	2,100	3,600	1,980	2,100	3,650				
10	2,880	2,980	4,250	2,220	2,300	3,900	2,200	2,280	3,950				
12	3,000	3,100	4,500	2,360	2,450	4,800	2,470	2,560	4,800				
15	3,420	3,500	5,470	2,720	2,800	5,380	2,840	2,930	5,600				
16	3,420	3,500	5,470	2,720	2,800	5,380	2,840	2,930	5,600				
20	4,250	4,380	6,460	3,450	3,500	7,310	3,720	3,800	7,540				
25	4,600	4,650	6,810	3,900	3,970	7,470	3,940	4,070	7,660				
30	5,900	6,100	9,300	4,890	4,960	9,090	5,050	5,130	9,180				
35	7,180	7,340	12,770	5,680	5,840	10,950	5,770	5,930	11,020				
40	8,200	8,400	15,550	6,600	6,800	11,640	6,740	6,940	12,010				
50	9,690	9,940	18,280	7,990	8,240	13,400	8,110	8,360	13,540				