
PULLS FOR FRAMES & PLATES

ム用取手/プレート用取手





41アルミラレーム用アクセサリ


CADデータフォルダ名: 41_Accessories




型式	:			*=-, ,									66 B			¥基準	単価							
Time		取手色	取手色	取手色	取手色	取手色	取手色	取手色 H	H 適用フレーム (シリーズ)	h	L	L ₁	R	С	Lr	Lc	許容荷重 (N)	質量 (g)		B(黒)		W (白)· M (:	オレンジ)・R((赤)・G(緑)
Туре	Α			(29-2)								(14)	(g)	1~9⊐	10~14	15~50	1~9⊐	10~14	15~50					
	19		36	5シリーズ	30	90	108.5	00 5 5 5	0.5 1:	11	11 6		23	276	262	254	500	475	450					
	19		51	3ンリース	45	90	108.5 5.5	9.5	11	6		24	500	475	450	520	494	468						
	21							36		30	93.5	93.5 112	6.5 10.5	10.5	13	7		25	276	262	254	530	503	477
	21		51	45	33.3	112	0.5 10.5	13	1		28	520	494	468	550	522	495							
	26	W(白) 41 M(オレンジ) 57	41	57 15 05 (1) 7' 3	34	117	139 8.5		5 13.3	15		500	38	276	262	254	580	551	522					
UPCN	20		57		50	117		0 5		16	9		48	570	541	513	600	570	540					
	27		45		37	132		0.0					54	368	350	340	680	646	612					
	21	G(緑)	63		55	132	130			10			62	670	636	603	700	665	630					
							52	42	152	177	6.5	10.5	13	7		66	368	350	340	_	_	_		
	28		50]	42	179	204	8.5	13.3	17	9		68	760	722	684	790	750	711					
			71		63	179	204	0.0	13.3	17	J		86	780	741	702	810	769	729					












A 14	0-4-	0	No.		¥/1Code					
Alterations	Code	Spec.	NO.	SET	SET SST SEU SSU SEP					
		Туре	19	105	120	105	290	105	255	
	SET SST	Code ボルト ナッ SET CBM HNT	_ 01	110	125	135	295	125	250	
適用ボルト ナットセット	SEU SSU	SST SCB HNTT SEU CBM HNT		120	130	185		170		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SEP	SSU SCB SHN	<u>U</u> 27				340		300	
	SSP	SEP CBM HNT		155	265	190		180		

・取手を適用フレームに取り付けるための、ボルト・ナットをセットにします。※取手価格に加算をします。 型式








Order 注文例




● C-10 = 10	5. 71 MO.00X	2112000,70	
数量区分	標準対応	個別対応	
效里区万	小口	大口	
数量	1~200	201~	表示数量超えは
出荷日	通常	お見積り	WOSにてご確認ください

型式	L ₁	^	В	N	適用取手	参考質量	¥基準単価	¥スライド単価	
Type	L		Α	В	IN	巡川双丁	(g)	1~9⊐	10~200
	90	108.5	19	9.25	5.5	UPCN19	31	350	330
	93.5	112	21	9.25	6.5	UPCN21	36	380	360
UPCNAT	117	139	26	11		UPCN26	55	380	360
	132	156	27	12	8.5	UPCN27	64	430	400
	179	204	28	12.5		LIPCN28	88	580	550










Type	₩材質	S 表面処理
HHDS	ポリカーボネイト(黒)	_
HHDSW	ポリカーボネイト(白)	_
HHDSA	ADC12	焼付塗装シルバーメタリック
HHDSS	SUS304相当	バフ研磨

型式	المراييا		н	h		質	¥基準単価					
Type		L1		"	Α	$HHDS \cdot HHDSW$	HHDSA	HHDSS	HHDS	HHDSW	HHDSA	HHDSS
HHDS	90	110	32	24	13	17	43	90	135	215	460	960
HHDSW HHDSA	104	127	37	27.7	16	25	65	150	237	260	480	1,150
HHDSS	122	149	43.3	32.5	19	42	102	220	256	280	550	1,480





型式







			//				
■数量スラ	イド価格((®1円未満切り捨て) P.133					
数量区分		個別対応					
数里区万		小口		大口			
数量	1~9	10~14	15~50	51~			
値引率	基準単価	5%	10%	お見積り			
		(a) ± = 24 = ±	Zal+Moci-7	で数でなくようさい。			