

M1.7

| 規格 | 入数 | M1.7 | | | | | |
|------|----------|-------|-------|-----|------|------|-----|
| | | 鋼 | ステンレス | 生地 | クローム | 表面処理 | 規格 |
| | | アーマード | 三重防護 | ドーム | ヘッド | 標準 | ISO |
| 1.6 | 10000×20 | ● | ● | ● | ● | ● | |
| 1.8 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.0 | 5000×20 | | | ● | | | |
| 2.2 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.5 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.5 | 2000×24 | | | ● | | | |
| 2.8 | 10000×20 | ● | ● | ● | ● | ● | |
| 3.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 3.0 | 2000×24 | | | ● | ● | | |
| 3.0 | 5000×20 | | | ● | | | |
| 3.5 | 10000×20 | ● | ● | ● | ● | ● | |
| 3.5 | 2000×24 | | | ● | ● | | |
| 4.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 4.0 | 2000×24 | | | ● | ● | | |
| 4.0 | 5000×20 | | | ● | | | |
| 4.5 | 10000×20 | ● | ● | ● | ● | ● | |
| 4.5 | 2000×24 | | | ● | ● | | |
| 5.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 5.0 | 2000×24 | | | ● | ● | | |
| 5.0 | 5000×20 | | | ● | | | |
| 5.5 | 5000×20 | | | ● | ● | ● | |
| 6.0 | 2000×24 | | | ● | ● | | |
| 6.0 | 5000×20 | | | ● | ● | | |
| 7.0 | 2000×24 | | | ● | ● | | |
| 7.0 | 5000×20 | | | ● | ● | | |
| 8.0 | 2000×24 | | | ● | ● | | |
| 8.0 | 5000×20 | | | ● | ● | | |
| 9.0 | 5000×20 | | | ● | ● | ● | |
| 10.0 | 2000×24 | | | ● | ● | | |
| 10.0 | 5000×20 | | | ● | ● | | |
| 12.0 | 2000×24 | | | ● | ● | | |

M2.0

| 規格 | 入数 | M2.0 | | | | | |
|------|----------|-------|-------|-----|------|------|-----|
| | | 鋼 | ステンレス | 生地 | クローム | 表面処理 | 規格 |
| | | アーマード | 三重防護 | ドーム | ヘッド | 標準 | ISO |
| 2.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.0 | 2000×24 | | | | | ● | ● |
| 2.2 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.5 | 10000×20 | ● | ● | ● | ● | ● | |
| 2.5 | 2000×24 | | | ● | ● | | |
| 2.8 | 10000×20 | ● | ● | ● | ● | ● | |
| 3.0 | 2000×24 | | | ● | ● | | |
| 3.5 | 2000×24 | | | ● | ● | | |
| 4.0 | 2000×24 | | | ● | ● | | |
| 4.0 | 5000×20 | | | ● | | | |
| 4.5 | 10000×20 | ● | ● | ● | ● | ● | |
| 4.5 | 2000×24 | | | ● | ● | | |
| 5.0 | 10000×20 | ● | ● | ● | ● | ● | |
| 5.0 | 2000×24 | | | ● | ● | | |
| 5.0 | 5000×20 | | | ● | | | |
| 5.5 | 5000×20 | | | ● | ● | ● | |
| 6.0 | 2000×24 | | | ● | ● | | |
| 6.0 | 5000×20 | | | ● | ● | | |
| 7.0 | 2000×24 | | | ● | ● | | |
| 7.0 | 5000×20 | | | ● | ● | | |
| 8.0 | 2000×24 | | | ● | ● | | |
| 8.0 | 5000×20 | | | ● | ● | | |
| 9.0 | 5000×20 | | | ● | ● | ● | |
| 10.0 | 2000×24 | | | ● | ● | | |
| 10.0 | 5000×20 | | | ● | ● | | |
| 12.0 | 2000×24 | | | ● | ● | | |

M2.5

| 規格 | 入数 | M2.5 | | | | | |
|------|---------|-------|-------|-----|------|------|-----|
| | | 鋼 | ステンレス | 生地 | クローム | 表面処理 | 規格 |
| | | アーマード | 三重防護 | ドーム | ヘッド | 標準 | ISO |
| 3.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 4.0 | 5000×20 | | | ● | ● | | |
| 5.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 6.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 8.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 10.0 | 5000×20 | ● | ● | ● | ● | ● | |

M2.6

| 規格 | 入数 | M2.6 | | | | | |
|------|---------|-------|-------|-----|------|------|-----|
| | | 鋼 | ステンレス | 生地 | クローム | 表面処理 | 規格 |
| | | アーマード | 三重防護 | ドーム | ヘッド | 標準 | ISO |
| 3.0 | 2000×24 | | | ● | ● | ● | |
| 3.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 4.0 | 2000×24 | | | ● | ● | ● | |
| 4.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 5.0 | 2000×24 | | | ● | ● | ● | |
| 5.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 6.0 | 2000×24 | | | ● | ● | ● | |
| 6.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 7.0 | 2000×24 | | | ● | ● | ● | |
| 7.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 8.0 | 2000×24 | | | ● | ● | ● | |
| 8.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 9.0 | 5000×20 | ● | ● | ● | ● | ● | |
| 10.0 | 2000×24 | | | ● | ● | ● | |
| 10.0 | 5000×20 | | | ● | ● | ● | |

⊕ 0番2種 ナベ小ねじ




40000200

40020200

鉄

ステンレス



2種

M
D
H
L

| 種類 | ネジの呼び d | D | | | H | | | M (参考) | | | P | R |
|------|------------|------|------|------|------|------|------|-----------|------|-----|---|---|
| | | 基準値 | 最大 | 最小 | 基準値 | 最大 | 最小 | 最大 | 最小 | ピッチ | | |
| M1.4 | 2.50 | 2.55 | 2.40 | 0.50 | 0.55 | 0.45 | 1.55 | 1.45 | 0.30 | 0.2 | | |
| M1.6 | 2.80 | 2.80 | 2.66 | 0.55 | 0.55 | 0.45 | 1.65 | 1.55 | 0.35 | 0.2 | | |
| M1.7 | 3.00 | 3.05 | 2.90 | 0.50 | 0.55 | 0.45 | 1.70 | 1.55 | 0.35 | 0.2 | | |
| M2.0 | 3.50 | 3.55 | 3.30 | 0.60 | 0.68 | 0.52 | 2.00 | 1.85 | 0.40 | 0.2 | | |
| M2.3 | 4.00 | 4.05 | 3.80 | 0.70 | 0.78 | 0.62 | 2.20 | 2.00 | 0.40 | 0.3 | | |
| M2.6 | 4.50 | 4.55 | 4.30 | 0.80 | 0.88 | 0.72 | 2.20 | 2.00 | 0.45 | 0.4 | | |